

UCB announces European Commission approval for 320 mg device presentations of BIMZELX® ▼ (bimekizumab)

- Patients requiring a 320 mg dose of bimekizumab will now have an alternative singleinjection option of both the pre-filled syringe and the pre-filled pen
- UCB developed the 320 mg single-injection options to increase convenience, simplify administration and enhance the individual patient experience

Brussels (Belgium), 5 August 2024 – 07:00 (CEST) – UCB, a global biopharmaceutical company, today announced that the European Commission (EC) has granted marketing authorization for two 320 mg device presentations of BIMZELX® (bimekizumab). The pre-filled syringe and pre-filled pen each contain 320 mg of bimekizumab in a volume of 2 mL and provide alternatives to the currently available 160 mg in a volume of 1 mL injection options.¹

"These single-injection options for bimekizumab strengthen and expand administration choices, aimed at enhancing the individual experience and offering increased convenience for patients requiring a 320 mg dose," said Emmanuel Caeymaex, Executive Vice President, Head of Patient Impact, Chief Commercial Officer, UCB. "For example, with the 320 mg bimekizumab device options, patients with moderate to severe plaque psoriasis would receive six injections a year during maintenance dosing, which is one injection every eight weeks."

The EC approval follows a positive opinion issued in May 2024 by the Committee for Medicinal Products for Human Use of the European Medicines Agency. The approval is based on data from studies evaluating the bioequivalence of bimekizumab 320 mg given as one 2mL subcutaneous injection, and bimekizumab 320 mg given as two 1mL subcutaneous injections, in healthy study participants.¹

In the European Union, the indications for bimekizumab where a 320 mg dose is recommended are adults with moderate to severe plaque psoriasis, adults with active psoriatic arthritis with coexistent moderate to severe plaque psoriasis, and adults with active moderate to severe hidradenitis suppurativa.¹

Regulatory applications for the 320 mg bimekizumab in a volume of 2 mL device presentations are currently in review with the U.S. Food and Drug Administration and the Pharmaceuticals and Medical Devices Agency in Japan.

Notes to editors:

About BIMZELX® (bimekizumab) in the European Union (EU)

BIMZELX® (bimekizumab) is a humanized monoclonal IgG1 antibody designed to selectively inhibit both interleukin 17A (IL-17A) and interleukin 17F (IL-17F), two key cytokines driving inflammatory processes.^{1,2}

The therapeutic indications in the EU are:1





- Plaque psoriasis: Bimekizumab is indicated for the treatment of moderate to severe plaque psoriasis in adults who are candidates for systemic therapy.
- Psoriatic arthritis: Bimekizumab, alone or in combination with methotrexate, is indicated for the treatment of active psoriatic arthritis in adults who have had an inadequate response or who have been intolerant to one or more disease-modifying antirheumatic drugs (DMARDs).
- Axial Spondyloarthritis: Bimekizumab is indicated for the treatment of adults with active non-radiographic
 axial spondyloarthritis with objective signs of inflammation as indicated by elevated C-reactive protein
 (CRP), and/or magnetic resonance imaging (MRI), who have responded inadequately or are intolerant to
 non-steroidal anti-inflammatory drugs (NSAIDs) and for the treatment of adults with active ankylosing
 spondylitis who have responded inadequately or are intolerant to conventional therapy.
- Hidradenitis suppurativa: Bimekizumab is indicated for the treatment of active moderate to severe hidradenitis suppurativa (HS; acne inversa) in adults with an inadequate response to conventional systemic HS therapy.

The label information may differ in other countries where approved. Please check local prescribing information.

BIMZELX® ▼ (bimekizumab) EU/EEA* Important Safety Information¹

The most frequently reported adverse reactions with bimekizumab were upper respiratory tract infections (14.5%, 14.6%, 16.3%, 8.8% in plaque psoriasis, psoriatic arthritis, axial spondyloarthritis (axSpA) and hidradenitis suppurativa, respectively) and oral candidiasis (7.3%, 2.3%, 3.7%, 5.6% in PSO, PsA, axSpA and HS, respectively). Common adverse reactions (≥1/100 to <1/10) were oral candidiasis, tinea infections, ear infections, herpes simplex infections, oropharyngeal candidiasis, gastroenteritis, folliculitis, vulvovaginal mycotic infection (including vulvovaginal candidiasis), headache, rash, dermatitis and eczema, acne, injection site reactions, fatigue. Elderly may be more likely to experience certain adverse reactions such as oral candidiasis, dermatitis and eczema when using bimekizumab.

Bimekizumab is contraindicated in patients with hypersensitivity to the active substance or to any of the excipients and in patients with clinically important active infections (e.g. active tuberculosis).

Bimekizumab may increase the risk of infections. Treatment with bimekizumab must not be initiated in patients with any clinically important active infection. Patients treated with bimekizumab should be instructed to seek medical advice if signs or symptoms suggestive of an infection occur. If a patient develops an infection the patient should be carefully monitored. If the infection becomes serious or is not responding to standard therapy, treatment should be discontinued until the infection resolves. Prior to initiating treatment with bimekizumab, patients should be evaluated for tuberculosis (TB) infection. Bimekizumab should not be given in patients with active TB. Patients receiving bimekizumab should be monitored for signs and symptoms of active TB.

Cases of new or exacerbations of inflammatory bowel disease have been reported with bimekizumab. Bimekizumab is not recommended in patients with inflammatory bowel disease. If a patient develops signs and symptoms of inflammatory bowel disease or experiences an exacerbation of pre-existing inflammatory bowel disease, bimekizumab should be discontinued and appropriate medical management should be initiated.

Serious hypersensitivity reactions including anaphylactic reactions have been observed with IL-17 inhibitors. If a serious hypersensitivity reaction occurs, administration of bimekizumab should be discontinued immediately and appropriate therapy initiated.





UCB News

Live vaccines should not be given in patients treated with bimekizumab.

Please consult the summary of product characteristics in relation to other side effects, full safety and prescribing information.

European SmPC date of revision: August 2024. https://www.ema.europa.eu/en/documents/product-information/bimzelx-epar-product-information en.pdf

*EU/EEA means European Union/European Economic Area

▼ This medicinal product is subject to additional monitoring. This will allow quick identification of new safety information. Healthcare professionals are asked to report any suspected adverse reactions.

For further information, contact UCB:

Investor Relations

Antje Witte

T: +32.2.559.94.14 Email: <u>antje.witte@ucb.com</u>

Corporate Communications

Laurent Schots T: +32.2.559.92.64

Email: laurent.schots@ucb.com

Brand Communications

Eimear O'Brien T: +32.2.559.92.71

Email: eimear.obrien@ucb.com

About UCB

UCB, Brussels, Belgium (www.ucb.com) is a global biopharmaceutical company focused on the discovery and development of innovative medicines and solutions to transform the lives of people living with severe diseases of the immune system or of the central nervous system. With approximately 9,000 people in approximately 40 countries, the company generated revenue of €5.3 billion in 2023. UCB is listed on Euronext Brussels (symbol: UCB). Follow us on Twitter: @UCB_news.

Forward looking statements

This press release may contain forward-looking statements including, without limitation, statements containing the words "believes", "anticipates", "expects", "intends", "plans", "seeks", "estimates", "may", "will", "continue" and similar expressions. These forwardlooking statements are based on current plans, estimates and beliefs of management. All statements, other than statements of historical facts, are statements that could be deemed forward-looking statements, including estimates of revenues, operating margins, capital expenditures, cash, other financial information, expected legal, arbitration, political, regulatory or clinical results or practices and other such estimates and results. By their nature, such forward-looking statements are not guarantees of future performance and are subject to known and unknown risks, uncertainties and assumptions which might cause the actual results, financial condition, performance or achievements of UCB, or industry results, to differ materially from those that may be expressed or implied by such forward-looking statements contained in this press release. Important factors that could result in such differences include: changes in general economic, business and competitive conditions, the inability to obtain necessary regulatory approvals or to obtain them on acceptable terms or within expected timing, costs associated with research and development, changes in the prospects for products in the pipeline or under development by UCB, effects of future judicial decisions or governmental investigations, safety, quality, data integrity or manufacturing issues; potential or actual data security and data privacy breaches, or disruptions of our information technology systems, product liability claims, challenges to patent protection for products or product candidates, competition from other products including biosimilars, changes in laws or regulations, exchange rate fluctuations, changes or uncertainties in tax laws or the administration of such laws, and hiring and retention of its employees. There is no guarantee that new product candidates will be discovered or identified in the pipeline, will progress to product approval or that new indications for existing products will be developed and approved. Movement from concept to commercial product is uncertain; preclinical results do not guarantee safety and efficacy of



UCB **News**

product candidates in humans. So far, the complexity of the human body cannot be reproduced in computer models, cell culture systems or animal models. The length of the timing to complete clinical trials and to get regulatory approval for product marketing has varied in the past and UCB expects similar unpredictability going forward. Products or potential products, which are the subject of partnerships, joint ventures or licensing collaborations may be subject to differences disputes between the partners or may prove to be not as safe, effective or commercially successful as UCB may have believed at the start of such partnership. UCB's efforts to acquire other products or companies and to integrate the operations of such acquired companies may not be as successful as UCB may have believed at the moment of acquisition. Also, UCB or others could discover safety, side effects or manufacturing problems with its products and/or devices after they are marketed. The discovery of significant problems with a product similar to one of UCB's products that implicate an entire class of products may have a material adverse effect on sales of the entire class of affected products. Moreover, sales may be impacted by international and domestic trends toward managed care and health care cost containment, including pricing pressure, political and public scrutiny, customer and prescriber patterns or practices, and the reimbursement policies imposed by third-party payers as well as legislation affecting biopharmaceutical pricing and reimbursement activities and outcomes. Finally, a breakdown, cyberattack or information security breach could compromise the confidentiality, integrity and availability of UCB's data and systems.

Given these uncertainties, you should not place undue reliance on any of such forward-looking statements. There can be no guarantee that the investigational or approved products described in this press release will be submitted or approved for sale or for any additional indications or labelling in any market, or at any particular time, nor can there be any guarantee that such products will be or will continue to be commercially successful in the future.

UCB is providing this information, including forward-looking statements, only as of the date of this press release. UCB expressly disclaims any duty to update any information contained in this press release, either to confirm the actual results or to report or reflect any change in its forward-looking statements with regard thereto or any change in events, conditions or circumstances on which any such statement is based, unless such statement is required pursuant to applicable laws and regulations.

Additionally, information contained in this document shall not constitute an offer to sell or the solicitation of an offer to buy any securities, nor shall there be any offer, solicitation or sale of securities in any jurisdiction in which such offer, solicitation or sale would be unlawful prior to the registration or qualification under the securities laws of such jurisdiction.

References

- 1. BIMZELX® (bimekizumab) EU SmPC. https://www.ema.europa.eu/en/documents/product-information/bimzelx-epar-product-information/bimzelx-epar-product-information_en.pdf. Accessed on August 2024.
- 2. Glatt S, Helmer E, Haier B, et al. First-in-human randomized study of bimekizumab, a humanized monoclonal antibody and selective dual inhibitor of IL-17A and IL-17F, in mild psoriasis. Br J Clin Pharmacol. 2017;83(5):991–1001.

